

# Package ‘OssaNMA’

January 20, 2025

**Type** Package

**Title** Optimal Sample Size and Allocation with a Network Meta-Analysis

**Version** 0.1.2

**Description** A system for calculating the minimum total sample size needed to achieve a prespecified power or the optimal allocation for each treatment group with a fixed total sample size to maximize the power.

**License** GPL-3

**Imports** NlcOptim ( $\geq 0.6$ ), DEoptimR ( $\geq 1.0.11$ )

**Depends** R( $\geq 3.5.0$ )

**URL** <https://github.com/fangshuye/OssaNMA>

**BugReports** <https://github.com/fangshuye/OssaNMA/issues>

**Encoding** UTF-8

**LazyData** true

**RoxygenNote** 7.2.2

**Suggests** knitr, rmarkdown, netmeta

**VignetteBuilder** knitr

**NeedsCompilation** no

**Author** Fangshu Ye [aut, cre]

**Maintainer** Fangshu Ye <[fye@iastate.edu](mailto:fye@iastate.edu)>

**Repository** CRAN

**Date/Publication** 2023-04-26 04:50:07 UTC

## Contents

BRDdat . . . . .	2
ssanma . . . . .	3
ssnma . . . . .	4
<b>Index</b>	<b>5</b>

BRDdat

*Example dataset for network meta-analysis*

---

**Description**

This example dataset represents a previously published network of interventions for the treatment of Bovine Respiratory Disease (BRD) in feedlot cattle (O'Connor, Yuan, Cullen, Coetzee, Da Silva, and Wang, 2016). The dataset is comprised of 98 trials, 13 treatments and 204 arms. Each row represents the summary statistics for a pairwise comparison between two treatment in a trial.

**Usage**

```
data(BRDdat)
```

**Format**

An object of class "data.frame"

**studlab** study id (integer)

**treat1** name of treatment 1 (character)

**treat2** name of treatment 2 (character)

**TE** estimated treatment effect size (log odds ratio) between treat1 and treat2

**seTE** standard error of TE

**References**

O'Connor, A. M., Yuan, C., Cullen, J. N., Coetzee, J. F., Da Silva, N., & Wang, C. (2016). A mixed treatment meta-analysis of antibiotic treatment options for bovine respiratory disease—an update. *Preventive veterinary medicine*, 132, 130-139..

**Examples**

```
data(BRDdat)
```

```
head(BRDdat)
```

---

ssanma	<i>Calculate the optimal sample size allocation for a new two-arm trial when analyze it with the existing network</i>
--------	---

---

### Description

This function calculates the optimal sample size allocation for each treatment group with a fixed total sample size when planning a new two-arm trial with binary outcome.

### Usage

```
ssanma(  
  p1,  
  p2,  
  enma_sigma,  
  N,  
  sig.level = 0.05,  
  method = "with",  
  allocation = "uneven"  
)
```

### Arguments

p1	Risk of treatment 1
p2	Risk of treatment 2
enma_sigma	Standard error of the estimated effect size (log odds ratio) between treatment 1 and treatment 2 from the existing network
N	Number of total sample size
sig.level	Significance level, the default value is 0.05
method	a character string specifying the method of analyzing the new trial, must be one of 'with' (default) or 'without'
allocation	a character string specifying the type of sample size allocation between two groups, must be one of 'uneven' (default) or 'even'.

### Value

A list with the following components:

sample_alloc	Sample size allocation to each treatment group.
power	Power of the test.

### Examples

```
ssanma(p1 = 0.2, p2 = 0.3, enma_sigma = 0.4, N = 200)
```

---

ssnma	<i>Calculate the optimal sample sizes for a new two-arm trial when analyze it with the existing network</i>
-------	---

---

## Description

This function calculates the optimal sample size for each treatment group to achieve a pre-specified power when planning a new two-arm trial with binary outcome.

## Usage

```
ssnma(  
  p1,  
  p2,  
  enma_sigma = NULL,  
  power.level,  
  sig.level = 0.05,  
  method = "with",  
  allocation = "uneven"  
)
```

## Arguments

p1	Risk of treatment 1
p2	Risk of treatment 2
enma_sigma	Standard error of the estimated effect size (log odds ratio) between treatment 1 and treatment 2 from the existing network
power.level	Power of test we want to obtain
sig.level	Significance level, the default value is 0.05
method	a character string specifying the method of analyzing the new trial, must be one of 'with' (default) or 'without'
allocation	a character string specifying the type of sample size allocation between two groups, must be one of 'uneven' (default) or 'even'.

## Value

A list with the following components:

sample_size	Sample size for each treatment group.
power	Power of the test.

## Examples

```
ssnma(p1 = 0.2, p2 = 0.3, enma_sigma = 0.4, power = 0.8)
```

# Index

\* **datasets**

BRDdat, [2](#)

BRDdat, [2](#)

ssanma, [3](#)

ssnma, [4](#)