

Package ‘cornet’

September 27, 2024

Version 1.0.0

Title Penalised Regression for Dichotomised Outcomes

Description Implements lasso and ridge regression for dichotomised outcomes (<[doi:10.1080/02664763.2023.2233057](https://doi.org/10.1080/02664763.2023.2233057)>), i.e., numerical outcomes that were transformed to binary outcomes. Such artificial binary outcomes indicate whether an underlying measurement is greater than a threshold.

Depends R (>= 3.0.0)

Imports glmnet, palasso

Suggests knitr, testthat, rmarkdown, RColorBrewer, MASS, mvtnorm, randomForest, xgboost, MLmetrics

License GPL-3

Encoding UTF-8

VignetteBuilder knitr

RoxygenNote 7.3.2

URL <https://github.com/rauschenberger/cornet>,
<https://rauschenberger.github.io/cornet/>

BugReports <https://github.com/rauschenberger/cornet/issues>

NeedsCompilation no

Author Armin Rauschenberger [aut, cre]
(<<https://orcid.org/0000-0001-6498-4801>>)

Maintainer Armin Rauschenberger <armin.rauschenberger@uni.lu>

Repository CRAN

Date/Publication 2024-09-26 22:50:07 UTC

Contents

.check	2
.equal	3
.simulate	3

.test	4
coef.cornet	5
cornet	5
cv.cornet	7
plot.cornet	9
predict.cornet	9
print.cornet	10

Index 12

.check	<i>Arguments</i>
--------	------------------

Description

Verifies whether an argument matches formal requirements.

Usage

```
.check(
  x,
  type,
  dim = NULL,
  miss = FALSE,
  min = NULL,
  max = NULL,
  values = NULL,
  inf = FALSE,
  null = FALSE
)
```

Arguments

x	argument
type	character "string", "scalar", "vector", "matrix"
dim	vector/matrix dimensionality: integer scalar/vector
miss	accept missing values: logical
min	lower limit: numeric
max	upper limit: numeric
values	only accept specific values: vector
inf	accept infinite (Inf or -Inf) values: logical
null	accept NULL: logical

Examples

```
cornet:::.check(0.5, type="scalar", min=0, max=1)
```

.equal *Equality*

Description

Verifies whether two or more arguments are identical.

Usage

```
.equal(..., na.rm = FALSE)
```

Arguments

... scalars, vectors, or matrices of equal dimensions
na.rm remove missing values: logical

Examples

```
cornet:::.equal(1,1,1)
```

.simulate *Data simulation*

Description

Simulates data for unit tests

Usage

```
.simulate(n, p, cor = 0, prob = 0.1, sd = 1, exp = 1, frac = 1)
```

Arguments

n sample size: positive integer
p covariate space: positive integer
cor correlation coefficient : numeric between 0 and 1
prob effect proportion: numeric between 0 and 1
sd standard deviation: positive numeric
exp exponent: positive numeric
frac class proportion: numeric between 0 and 1

Details

For simulating correlated features ($\text{cor} > 0$), this function requires the R package MASS (see [mvrnorm](#)).

Value

Returns invisible list with elements y and X .

Examples

```
data <- cornet:::.simulate(n=10,p=20)
names(data)
```

.test	<i>Single-split test</i>
-------	--------------------------

Description

Compares models for a continuous response with a cut-off value.

Usage

```
.test(y, cutoff, X, alpha = 1, type.measure = "deviance")
```

Arguments

y	continuous outcome: vector of length n
cutoff	cut-off point for dichotomising outcome into classes: <i>meaningful</i> value between $\min(y)$ and $\max(y)$
X	features: numeric matrix with n rows (samples) and p columns (variables)
alpha	elastic net mixing parameter: numeric between 0 (ridge) and 1 (lasso)
type.measure	loss function for binary classification: character "deviance", "mse", "mae", or "class" (see cv.glmnet)

Details

Splits samples into 80 percent for training and 20 percent for testing, calculates squared deviance residuals of logistic and combined regression, conducts the paired one-sided Wilcoxon signed rank test, and returns the p -value. For the multi-split test, use the median p -value from 50 single-split tests (van de Wiel 2009).

Examples

```
n <- 100; p <- 200
y <- rnorm(n)
X <- matrix(rnorm(n*p), nrow=n, ncol=p)
cornet:::.test(y=y, cutoff=0, X=X)
```

coef.cornet	<i>Extract estimated coefficients</i>
-------------	---------------------------------------

Description

Extracts estimated coefficients from linear and logistic regression, under the penalty parameter that minimises the cross-validated loss.

Usage

```
## S3 method for class 'cornet'  
coef(object, ...)
```

Arguments

object	cornet object
...	further arguments (not applicable)

Value

This function returns a matrix with n rows and two columns, where n is the sample size. It includes the estimated coefficients from linear regression (1st column: "beta") and logistic regression (2nd column: "gamma").

Examples

```
n <- 100; p <- 200  
y <- rnorm(n)  
X <- matrix(rnorm(n*p), nrow=n, ncol=p)  
net <- cornet(y=y, cutoff=0, X=X)  
coef(net)
```

cornet	<i>Combined regression</i>
--------	----------------------------

Description

Implements lasso and ridge regression for dichotomised outcomes. Such outcomes are not naturally but artificially binary. They indicate whether an underlying measurement is greater than a threshold.

Usage

```

cornet(
  y,
  cutoff,
  X,
  alpha = 1,
  np_i = 101,
  pi = NULL,
  nsigma = 99,
  sigma = NULL,
  nfolds = 10,
  foldid = NULL,
  type.measure = "deviance",
  ...
)

```

Arguments

<code>y</code>	continuous outcome: vector of length n
<code>cutoff</code>	cut-off point for dichotomising outcome into classes: <i>meaningful</i> value between $\min(y)$ and $\max(y)$
<code>X</code>	features: numeric matrix with n rows (samples) and p columns (variables)
<code>alpha</code>	elastic net mixing parameter: numeric between 0 (ridge) and 1 (lasso)
<code>np_i</code>	number of π values (weighting)
<code>pi</code>	π sequence: vector of increasing values in the unit interval; or NULL (default sequence)
<code>nsigma</code>	number of σ values (scaling)
<code>sigma</code>	σ sequence: vector of increasing positive values; or NULL (default sequence)
<code>nfolds</code>	number of folds: integer between 3 and n
<code>foldid</code>	fold identifiers: vector with entries between 1 and $nfolds$; or NULL (balance)
<code>type.measure</code>	loss function for binary classification: character "deviance", "mse", "mae", or "class" (see cv.glmnet)
<code>...</code>	further arguments passed to glmnet

Details

The argument `family` is unavailable, because this function fits a *gaussian* model for the numeric response, and a *binomial* model for the binary response.

Linear regression uses the loss function "deviance" (or "mse"), but the loss is incomparable between linear and logistic regression.

The loss function "auc" is unavailable for internal cross-validation. If at all, use "auc" for external cross-validation only.

Value

Returns an object of class `cornet`, a list with multiple slots:

- `gaussian`: fitted linear model, class `glmnet`
- `binomial`: fitted logistic model, class `glmnet`
- `sigma`: scaling parameters `sigma`, vector of length `nsigma`
- `pi`: weighting parameters `pi`, vector of length `npi`
- `cvm`: evaluation loss, matrix with `nsigma` rows and `npi` columns
- `sigma.min`: optimal scaling parameter, positive scalar
- `pi.min`: optimal weighting parameter, scalar in unit interval
- `cutoff`: threshold for dichotomisation

References

Armin Rauschenberger and Enrico Glaab (2024). "Predicting dichotomised outcomes from high-dimensional data in biomedicine". *Journal of Applied Statistics* 51(9):1756-1771. doi:10.1080/02664763.2023.2233057. (Click [here](#) to access PDF. Contact: <armin.rauschenberger@uni.lu>.)

See Also

Methods for objects of class `cornet` include `coef` and `predict`.

Examples

```
n <- 100; p <- 200
y <- rnorm(n)
X <- matrix(rnorm(n*p), nrow=n, ncol=p)
net <- cornet(y=y, cutoff=0, X=X)
net
```

cv.cornet

Performance measurement

Description

Compares models for a continuous response with a cut-off value.

Usage

```
cv.cornet(
  y,
  cutoff,
  X,
  alpha = 1,
  n folds.ext = 5,
```

```

  n folds.int = 10,
  foldid.ext = NULL,
  foldid.int = NULL,
  type.measure = "deviance",
  rf = FALSE,
  xgboost = FALSE,
  ...
)

```

Arguments

<code>y</code>	continuous outcome: vector of length n
<code>cutoff</code>	cut-off point for dichotomising outcome into classes: <i>meaningful</i> value between $\min(y)$ and $\max(y)$
<code>X</code>	features: numeric matrix with n rows (samples) and p columns (variables)
<code>alpha</code>	elastic net mixing parameter: numeric between 0 (ridge) and 1 (lasso)
<code>n folds.ext</code>	number of external folds
<code>n folds.int</code>	internal fold identifiers: vector of length n with entries between 1 and <code>n folds.int</code> ; or NULL
<code>foldid.ext</code>	external fold identifiers: vector of length n with entries between 1 and <code>n folds.ext</code> ; or NULL
<code>foldid.int</code>	number of internal folds
<code>type.measure</code>	loss function for binary classification: character "deviance", "mse", "mae", or "class" (see cv.glmnet)
<code>rf</code>	comparison with random forest: logical
<code>xgboost</code>	comparison with extreme gradient boosting: logical
<code>...</code>	further arguments passed to cornet or glmnet

Details

Computes the cross-validated loss of logistic and combined regression.

Examples

```

## Not run: n <- 100; p <- 200
y <- rnorm(n)
X <- matrix(rnorm(n*p), nrow=n, ncol=p)
start <- Sys.time()
loss <- cv.cornet(y=y, cutoff=0, X=X)
end <- Sys.time()
end - start

loss
## End(Not run)

```

plot.cornet	<i>Plot loss matrix</i>
-------------	-------------------------

Description

Plots the loss for different combinations of scaling (σ) and weighting (π) parameters.

Usage

```
## S3 method for class 'cornet'  
plot(x, ...)
```

Arguments

x	cornet object
...	further arguments (not applicable)

Value

This function plots the evaluation loss (cvm). Whereas the matrix has σ in the rows, and π in the columns, the plot has σ on the x -axis, and π on the y -axis. For all combinations of σ and π , the colour indicates the loss. If the R package RColorBrewer is installed, blue represents low. Otherwise, red represents low. White always represents high.

Examples

```
n <- 100; p <- 200  
y <- rnorm(n)  
X <- matrix(rnorm(n*p), nrow=n, ncol=p)  
net <- cornet(y=y, cutoff=0, X=X)  
plot(net)
```

predict.cornet	<i>Predict binary outcome</i>
----------------	-------------------------------

Description

Predicts the binary outcome with linear, logistic, and combined regression.

Usage

```
## S3 method for class 'cornet'  
predict(object, newx, type = "probability", ...)
```

Arguments

object	cornet object
newx	covariates: numeric matrix with n rows (samples) and p columns (variables)
type	"probability", "odds", "log-odds"
...	further arguments (not applicable)

Details

For linear regression, this function tentatively transforms the predicted values to predicted probabilities, using a Gaussian distribution with a fixed mean (threshold) and a fixed variance (estimated variance of the numeric outcome).

Examples

```
n <- 100; p <- 200
y <- rnorm(n)
X <- matrix(rnorm(n*p), nrow=n, ncol=p)
net <- cornet(y=y, cutoff=0, X=X)
predict(net, newx=X)
```

print.cornet	<i>Combined regression</i>
--------------	----------------------------

Description

Prints summary of cornet object.

Usage

```
## S3 method for class 'cornet'
print(x, ...)
```

Arguments

x	cornet object
...	further arguments (not applicable)

Value

Returns sample size n , number of covariates p , information on dichotomisation, tuned scaling parameter (σ), tuned weighting parameter (π), and corresponding loss.

Examples

```
n <- 100; p <- 200
y <- rnorm(n)
X <- matrix(rnorm(n*p), nrow=n, ncol=p)
net <- cornet(y=y, cutoff=0, X=X)
print(net)
```

Index

.check, 2
.equal, 3
.simulate, 3
.test, 4

coef, 7
coef.cornet, 5
cornet, 5, 5, 8–10
cornet-package (cornet), 5
cv.cornet, 7
cv.glmnet, 4, 6, 8

glmnet, 6, 8

mvrnorm, 4

plot.cornet, 9
predict, 7
predict.cornet, 9
print.cornet, 10